

1/26




Figure 1

2/26




Figure 2

3/26

CSCD36 : CS01p74-1 at 700°C, 2.5-4.3V, 3.6 mA/g




Figure 3

CSCD53 : p74-1 by SD at 700C




Figure 4

5/26

CSCD51: CS01p74-1 SD at 700°C, 2.5-4.3V and 2.5-4.5V, 7.2 mA/g




Figure 5

6/26




Figure 6

7/26




Figure 7

8/26




Figure 8

9/26


CTCD43 : CS02p74-1, Cycling to 4.7 Volts at 3.6 mA/g

Figure 9

10/26




Figure 10

11/26




Figure 11

12/26




Figure 12

13/26





Figure 13

14/26




Figure 14

FOUO 10/2/5360

15/26




Figure 15

16/26




Figure 16

17/26

CSCD91: CS02p15-1, 2.5-4.3 V, 3.6 mA/g




Figure 17

18/26




Figure 18

19/26




Figure 19

20/26




Figure 20

21/26




Figure 21

22/26




Figure 22

23/26





Figure 23

24/26


c) Cr-Mn-(OH)_x from sulfatesf) Li_{2.55}Cr_{1.04}Mn_{0.96}O_{4+z}
from sulfates (650°C)b) Cr-Mn-(OH)_x from nitratese) Li_{2.77}Cr_{1.23}Mn_{0.77}O_{4+z}
from nitrates (650°C)

a) Solid state process (1000°C)

d) Li_{2.65}Cr_{1.25}Mn_{0.75}O_{4+z}
from nitrates (650°C)

Figure 24


25/26



Specific capacity at 3.6 mA/g of $\text{Li}_{2+x}\text{Cr}_y\text{Mn}_{2-y}\text{O}_4+z$ samples prepared by the co-precipitation process from indicated metal salts.

Figure 25

26/26



Specific capacity at 14.5 mA/g of $\text{Li}_{2+x}\text{Cr}_y\text{Mn}_{2-y}\text{O}_4+z$ samples prepared by the co-precipitation process from indicated metal salts.

Figure 26